

Type 80



Type 80 system is a top hung movable acoustic wall of lighter construction made up of individual panels designed to give economical but strong and long lasting use in the division of space requiring flexibility and offers good levels of sound reduction and high quality finish.

Type 80 is ideal for use in meeting rooms, classrooms, church halls and offices. Panels can be finished in priming sheet for client decoration, standard factory finish in standard laminate or spray paint, textile coverings, full range of veneers and laminates or to suit clients requirements.



- Manual operation
- Sound reduction up to Rw 53dB
- Aluminium frame



Features

Height: Up to 6,000mm Panel Width: Upto 1,250mm (wider on request) Sound Reduction: Up to Rw 53dB Panel Thickness: 80mm Suspension method: Top hung, no floor track Operation Mode: Manual Panel Type: Individual panel Seal Type: Retractable Panel Construction: Aluminium frame Panel Weight: Up to 56kg/m2 Fireproof Qualities: Class 1, Class 0, F30, F60 Pass Door Panels: Full Height, Single Inset Usage: Internal Panel Edges: Exposed or concealed, SAA or powder coated Panel Finishes: Laminate, HP Laminate, Veneer, Fabric, Steel, Whiteboard, Magnetic whiteboard Other Options: Curved, Glazed cut outs

Stacking Options: TL1 ('E' system), TL2 ('Za' system) TL3 ('Zb' system), TL4 ('Z' system), TL5 ('K' system) TL6 ('K' system), TL7 ('K' system), TL8 ('K' system)


















www.movawall.co.uk info@movawall.co.uk 020 8391 8750

Movawall Systems Ltd 63 Barwell Business Park Chessington KT9 2NY